





Detailed Summary Tables— Eastern Region (1)

North Carolina Youth Tobacco Survey 2007 Middle School and High School Tables

N.C. Department of Health and Human Services

Surveillance and Evaluation Team Tobacco Prevention and Control Branch Department of Health and Human Services 1932 Mail Service Center Raleigh, NC 27699-1932 919-707-5400

www.tobaccopreventionandcontrol.ncdhhs.gov











State of North Carolina | Michael F. Easley, Governor Department of Health and Human Services Dempsey Benton, Secretary www.ncdhhs.gov

N.C. DHHS is an equal opportunity employer and provider. 04/08

List of Middle School Tables

	List of Middle School Tables
Table	Percentage of middle school students who report ever using* any tobacco
MS-1	product (cigarettes, cigars, smokeless tobacco), by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007—Coastal (Eastern).
Table	Percentage of middle school students who report current use of any tobacco
MS-2	product (cigarettes, cigars, smokeless tobacco, pipes, or bidis) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007—Coastal (Eastern).
Table	Percentage of middle school students who report first using* cigarettes before
MS-3	11 years of age and ever smoking 100 cigarettes in their lifetime, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2007—Coastal (Eastern).
Table	Percentage of middle school students who report smoking cigarettes on school
MS-4	property during the 30 days preceding the survey, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2007—Coastal (Eastern).
Table	Percentage of middle school students who report frequently using* cigarettes,
MS-5	by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2007Coastal (Eastern).
Table	Percentage of middle school current smoking students who report their primary
MS-6	sources of cigarettes, by social source, direct purchase, and other sources: North Carolina Youth Tobacco Survey, 2007—Coastal (Eastern).
Table	Percentage of middle school students who report smoking intentions,
MS-7	perceptions about smoking and susceptibility* to start smoking, by gender,
WI3-7	grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007—Coastal (Eastern).
Table	Percentage of middle school students who report media and advertising
MS-8	influence regarding tobacco and receptivity to tobacco advertising*, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007—Coastal (Eastern).
Table	Percentage of middle school students who report exposure to anti-tobacco
MS-9	education in school or community in the past year, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007—Coastal (Eastern).
Table	Percentage of middle school never smoking students who report they were in
MS-10	the same room or rode in car with someone who was smoking on 1 of the past 7 days, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2007—Coastal (Eastern).
Table	Percentage of middle school never and current smoking students who report
MS-11	currently living with someone who smokes cigarettes, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007—Eastern (Coastal).
Table	Percentage of middle school current smoking students who report quitting
MS-12	perceptions, intention to quit and cessation practices, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007—Coastal (Eastern).
Table	Percentage of middle school never and current smoking students who report
MS-13	smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007—Coastal (Eastern).
Table	Percentage of middle school never and current smoking students who report
MS-14	smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007—Coastal (Eastern).

List of High School Tables

product nicity: co er, - efore 11 er, estal
co er, - efore 11
er, - fore 11 er,
- fore 11 er,
fore 11 er,
er,
er,
stai
hool
astern).
tes, by
07—
imary
es:
eptions
and astern).
fluence
rade,
al
)
nd
astern).
e in the
ast 7
urvey,
ort one
id
astern).
, and
astern). ort
ina
ort
ina

TABLE MS-1. Percentage of middle school students who report ever using* any tobacco product (cigarettes, cigars, smokeless tobacco) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007—Eastern (Coastal)

	Any tobacco	Cigarettes	Cigars	Smokeless tobacco
Gender				
Female	25.6 (±5.5)†	21.6 (±5.8)	10.7 (±3.0)	7.0 (±2.5)
Male	34.5 (±4.7)	28.3 (±5.4)	19.0 (±3.0)	11.2 (±3.7)
Grade				
Sixth	18.7 (±2.9)	13.7 (±3.0)	9.1 (±3.3)	6.8 (±2.0)
Seventh	29.2 (±6.6)	23.8 (±6.8)	13.2 (±3.4)	10.8 (±3.6)
Eighth	42.1 (±9.1)	36.8 (±8.9)	22.5 (±6.2)	9.6 (±4.4)
Race/ethnicity				
White	25.9 (±6.5)	20.3 (±7.0)	13.5 (±4.2)	10.6 (±4.1)
Black	33.7 (±5.6)	28.9 (±6.2)	17.0 (±4.0)	8.0 (±2.5)
Hispanic	33.1 (±11.3)	30.9 (±10.3)	14.3 (±6.8)	4.5 (±3.1)
Other	49.3 (±20.8)	42.0 (±22.6)	18.8 (±12.0)	8.6 (±9.6)
Total	30.2 (±4.8)	25.0 (±5.1)	15.1 (±2.8)	9.1 (±2.5)

^{*}Ever use of cigarettes was determined by asking, "Have you ever tried cigarette smoking, even one or two puffs?" Ever use of cigars was determined by asking, "Have you ever tried smoking cigars, cigarillos, or little cigars, even one or two puffs?" Ever use of smokeless tobacco was determined by asking, "Have you ever used chewing tobacco, snuff, or dip, such as Redman, Levi Garett, Beechnut, Skoal, Skoal Bandits, or Coppenhagen?

[†] Ninety-five percent confidence interval.

TABLE MS-2. Percentage of middle school students who report current use of any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, or bidis) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007— Eastern (Coastal)

	Any tobacco*	Cigarettes	Cigars	Smokeless tobacco	Pipes	Bidis
Gender						
Female	9.1 (±2.7)†	4.9 (±2.1)	3.9 (±2.2)	2.6 (±1.3)	1.0 (±0.6)	1.9 (±0.7)
Male	14.7 (±2.7)	7.2 (±1.3)	7.9 (±2.2)	3.9 (±2.1)	3.3 (±1.8)	3.4 (±2.0)
Grade						
Sixth	8.3 (±2.5)	4.0 (±1.9)	4.8 (±2.1)	2.4 (±1.6)	1.7 (±1.5)	2.4 (±1.5)
Seventh	10.4 (±3.5)	3.5 (±1.8)	4.5 (±2.2)	4.3 (±2.1)	1.1 (±0.9)	2.8 (±2.1)
Eighth	16.9 (±4.3)	10.7 (±3.3)	8.5 (±3.0)	3.2 (±2.2)	3.3 (±2.9)	2.5 (±1.6)
Race/ethnicity						
White	10.4 (±3.5)	6.1 (±2.9)	4.6 (±1.8)	3.5 (±2.1)	2.2 (±1.7)	2.4 (±1.0)
Black	14.1 (±3.8)	5.1 (±3.6)	8.0 (±2.8)	3.1 (±1.7)	1.7 (±1.3)	3.6 (±1.9)
Hispanic	11.8 (±8.3)	8.2 (±6.5)	4.3 (±4.7)	2.9 (±3.3)	3.9 (±4.9)	0.9 (±1.8)
Other	10.6 (±7.6)	9.7 (±6.9)	5.8 (±7.3)	2.4 (±4.5)	2.3 (±4.3)	1.1 (±2.1)
Total	11.9 (±2.0)	6.0 (±1.4)	5.9 (±1.5)	3.3 (±1.3)	2.1 (±1.1)	2.7 (±0.9)

^{*}Current use of cigarettes or cigars or smokeless tobacco or pipes or bidis or kreteks on 1 of the 30 days preceding the survey.
† Ninety-five percent confidence interval.

TABLE MS-3. Percentage of middle school students who report first using* cigarettes before 11 years of age and ever smoking 100 cigarettes in their lifetime, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2007— Eastern (Coastal).

	Ever smokers who smoked first whole cigarette before age 11	Ever smokers who smoked 100+ cigarettes in their lifetime
Gender		
Female	21.8 (±5.3)†	2.7 (±3.1)
Male	30.7 (±10.4)	8.9 (±4.2)
Grade		
Sixth	36.9 (±19.9)	3.5 (±4.6)
Seventh	28.6 (±9.9)	3.5 (±2.5)
Eighth	21.5 (±11.0)	9.3 (±4.4)
Race/ethnicity		
White	32.9 (±9.1)	10.6 (±5.0)
Black	23.6 (±8.7)	1.1 (±2.1)
Hispanic	28.3 (±20.7)	12.3 (±13.8)
Other	8.3 (±16.4)	5.4 (±11.0)
Total	26.8 (±7.2)	6.3 (±2.4)

^{*}Age of initiation was determined by asking students these questions: "How old were you when you smoked a whole cigarette for the first time?"

TABLE MS-4. Percentage of middle school students who report smoking cigarettes on school property during the 30 days preceding the survey, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2007—Eastern (Coastal).

	Smoked on school property past 30 days
Gender	
Female	0.9 (±0.8)†
Male	2.5 (±1.4)
Grade	
Sixth	0.8 (±0.9)
Seventh	2.3 (±2.1)
Eighth	2.2 (±1.5)
Race/ethnicity	
White	2.0 (±1.0)
Black	1.1 (±1.4)
Hispanic	0.0 (±0.0)
Other	6.8 (±6.9)
Total	1.7 (±0.9)

[†] Ninety-five percent confidence interval.

[†] Ninety-five percent confidence interval.

TABLE MS-5. Percentage of middle school students who report frequently using* cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2007— Eastern (Coastal)

	Frequent cigarette smoking
Gender	
Female	0.2 (±0.4)†
Male	1.9 (±0.9)
Grade	
Sixth	0.3 (±0.5)
Seventh	0.9 (±1.1)
Eighth	2.1 (±0.9)
Race/ethnicity	
White	1.3 (±0.8)
Black	0.5 (±0.7)
Hispanic	2.6 (±3.6)
Other	1.3 (±2.9)
Total	1.1 (±0.4)

^{*} Smoked cigarettes, on 20 of the 30 days preceding the survey

TABLE MS-6. Percentage of middle school current smoking students who report their primary sources of cigarettes, by social source, direct purchase, and other sources: North Carolina Youth Tobacco Survey, 2007— Eastern (Coastal).

	Current Smoker
Social Sources:	
Gave someone else money to buy them for me	23.0 (±11.5)†
Borrowed (or bummed) them from someone else	21.1 (±16.7)
Person 18 years or older gave them to me	8.4 (±8.7)
Direct Purchase:	
Bought them in a store such as a convenience store, supermarket, discount store, or gas station	3.2 (±4.4)
Bought them from a vending machine	0.9 (±1.7)
Other Sources:	
Took them from store or family member	12.2 (±8.5)
Got them some other way	31.2 (±9.6)
Total	100

[†] Ninety-five percent confidence interval.

[†] Ninety-five percent confidence interval.

TABLE MS-7. Percentage of middle school students who report smoking intentions, perceptions about smoking and susceptibility* to start smoking, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007—Eastern (Coastal).

	Never smoked who will not try a cigarette soon	Never smoked who will not be smoking cigarettes during the next year	Never smoked who definitely will not smoke if one of their best friends offers them a cigarette	Have been told by at least one parent (or guardian) about the dangers of tobacco use	Think people can get addicted to using tobacco just like getting addicted to cocaine or heroin	Think young people who smoke cigarettes have more friends	Think smoking cigarettes makes young people look cool or fit in	Never smokers susceptible to start smoking
Gender								_
Female	95.9 (±1.7)†	88.4 (±4.7)	86.1 (±2.5)	74.2 (±4.6)	93.4 (±1.9)	23.1 (±4.6)	12.2 (±3.1)	20.5 (±3.4)
Male	96.5 (±1.6)	89.9 (±2.2)	87.9 (±3.0)	68.8 (±3.8)	87.6 (±3.3)	21.2 (±4.0)	11.7 (±2.9)	18.3 (±3.6)
Grade								
Sixth	97.0 (±1.7)	92.0 (±3.7)	91.6 (±3.4)	72.5 (±4.3)	88.9 (±4.3)	15.4 (±4.6)	9.8 (±3.4)	14.9 (±4.0)
Seventh	96.1 (±2.5)	90.9 (±4.7)	88.3 (±4.7)	71.2 (±6.2)	91.7 (±2.6)	22.0 (±4.5)	10.9 (±3.2)	17.8 (±5.5)
Eighth	95.3 (±2.6)	83.4 (±5.6)	79.1 (±4.3)	70.5 (±5.4)	90.7 (±3.5)	28.4 (±6.6)	15.0 (±4.6)	27.6 (±6.3)
Race/ethnicity								
White	96.8 (±1.7)	90.2 (±3.3)	87.2 (±3.0)	75.5 (±4.1)	92.8 (±2.6)	13.9 (±4.2)	9.2 (±3.0)	17.9 (±4.2)
Black	95.7 (±2.1)	86.3 (±3.4)	85.7 (±4.3)	65.4 (±3.5)	87.2 (±3.4)	31.6 (±3.5)	14.3 (±3.0)	22.7 (±5.2)
Hispanic	94.0 (±6.2)	96.9 (±4.6)	91.5 (±6.3)	71.1 (±10.6)	94.9 (±6.1)	27.9 (±7.8)	18.1 (±8.6)	13.9 (±8.4)
Other	96.5 (±6.2)	87.5 (±11.9)	85.3 (±14.8)	79.7 (±13.1)	83.2 (±8.8)	28.0 (±12.1)	12.5 (±4.5)	22.4 (±15.8)
Total	96.2 (±1.2)	89.2 (±2.2)	86.9 (±1.9)	71.5 (±3.3)	90.4 (±2.1)	22.0 (±3.5)	11.9 (±2.2)	19.5 (±2.6)

^{*} Students were considered not susceptible if they answered, "No, will not try a cigarette soon" and "Definitely no, will not smoke in the next year" and

[&]quot;Definitely no, would not smoke if best friend offered." All other students were considered susceptible.

[†] Ninety-five percent confidence interval.

TABLE MS-8. Percentage of middle school students who report media and advertising influence regarding tobacco and receptivity to tobacco advertising*, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007— Eastern (Coastal)

	Saw or heard anti-smoking commercials during the past 30 days	Watch TV or movies who see actors using tobacco (most or some of the time)	Use Internet and see Internet ads for tobacco products (most or some of the time)	Use Internet, watch TV, or go to movies who see (most or some of the time) ads for tobacco products	Receptive to tobacco advertising
Gender					
Female	76.5 (±4.5)†	75.6 (±5.7)	40.7 (±4.7)	80.1 (±4.1)	3.8 (±2.0)
Male	69.0 (±4.6)	77.9 (±4.8)	35.9 (±4.9)	80.7 (±3.8)	7.9 (±3.5)
Grade					
Sixth	65.6 (±6.5)	69.0 (±6.9)	35.3 (±5.6)	73.0 (±6.5)	3.0 (±1.5)
Seventh	76.6 (±5.6)	76.5 (±6.5)	40.2 (±3.3)	81.3 (±6.0)	6.6 (±2.3)
Eighth	75.3 (±6.1)	83.8 (±5.5)	38.8 (±6.4)	86.2 (±3.6)	7.8 (±4.0)
Race/ethnicity					
White	71.3 (±4.4)	77.5 (±4.6)	33.1 (±4.7)	80.4 (±3.6)	5.5 (±2.8)
Black	74.4 (±6.2)	76.6 (±5.1)	46.2 (±8.7)	81.9 (±4.1)	7.1 (±1.8)
Hispanic	72.0 (±11.1)	82.7 (±10.3)	35.2 (±11.8)	81.5 (±11.2)	3.3 (±4.0)
Other	77.3 (±10.5)	59.5 (±21.2)	37.5 (±14.1)	63.7 (±20.4)	4.9 (±3.0)
Total	72.7 (±3.9)	76.7 (±4.7)	38.2 (±3.7)	80.3 (±3.7)	5.9 (±2.1)

^{*} The percentage of students who received anything with a tobacco company name or picture on it AND who would (Definitely Yes or Probably Yes) use or wear something with a tobacco company name or picture on it.
† Ninety-five percent confidence interval.

TABLE MS-9. Percentage of middle school students who report exposure to antitobacco education in school or community in the past year, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007— Eastern (Coastal)

	Were taught about the dangers of tobacco use at school	At school this year practiced ways to say 'No' to tobacco
Gender		
Female	33.0 (±5.3)†	17.8 (±3.8)
Male	38.2 (±7.2)	24.5 (±5.6)
Grade		
Sixth	34.5 (±8.6)	23.3 (±6.2)
Seventh	37.0 (±8.3)	25.5 (±6.9)
Eighth	34.9 (±4.7)	14.7 (±4.7)
Race/ethnicity		
White	33.6 (±4.5)	17.3 (±5.4)
Black	39.9 (±5.7)	26.6 (±3.2)
Hispanic	33.9 (±13.4)	25.0 (±13.6)
Other	22.9 (±11.5)	13.6 (±7.9)
Total	35.5 (±4.5)	21.1 (±3.3)

[†] Ninety-five percent confidence interval.

TABLE MS-10. Percentage of middle school never smoking students who report they were in the same room or rode in car with someone who was smoking on 1 of the past 7 days, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2007— Eastern (Coastal)

	Were in the same room with someone who was smoking a cigarette on 1+ days during past 7 days	Rode in the same car with someone who was smoking a cigarette on 1+ days during past 7 days
Gender		
Female	46.1 (±6.0)†	35.2 (±6.1)
Male	38.9 (±3.9)	32.0 (±5.2)
Grade		
Sixth	37.9 (±7.2)	30.8 (±6.1)
Seventh	42.2 (±5.7)	36.9 (±8.0)
Eighth	48.1 (±9.7)	33.8 (±8.6)
Race/ethnicity		
White	46.9 (±7.1)	35.0 (±6.6)
Black	39.7 (±5.8)	31.9 (±6.7)
Hispanic	26.7 (±10.7)	34.0 (±13.9)
Other	28.0 (±14.9)	30.5 (±14.4)
Total	42.3 (±4.6)	33.8 (±4.6)

[†] Ninety-five percent confidence interval.

TABLE MS-11. Percentage of middle school never and current smoking students who report currently living with someone who smokes cigarettes, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007—Eastern (Coastal).

	Never Smoker	Current Smoker
Gender		
Female	32.9 (±5.7)†	61.3 (±14.5)
Male	40.6 (±6.7)	57.0 (±18.6)
Grade		
Sixth	35.0 (±5.8)	47.4 (±24.2)
Seventh	36.2 (±9.5)	72.9 (±29.6)
Eighth	38.9 (±4.9)	59.4 (±14.9)
Race/ethnicity		
White	35.6 (±6.2)	55.0 (±17.4)
Black	38.1 (±5.2)	57.6 (±23.7)
Hispanic	33.8 (±15.4)	76.2 (±31.9)
Other	47.7 (±20.2)	64.7 (±52.2)
Total	36.7 (±4.3)	58.9 (±12.8)

[†] Ninety-five percent confidence interval.

TABLE MS-12. Percentage of middle school current smoking students who report quitting perceptions, intention to quit and cessation practices, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007—Eastern (Coastal).

			When they	
		Tried to quit	last tried to	Have ever
		during at least	quit, stayed	participated in a
	Who want to stop	once in the	off cigarettes	program to help
	smoking	past 12	for less than	quit using
	cigarettes	months-	30 days	tobacco
Gender				
Female	71.9 (±18.6)†	74.3 (±20.4)	44.9 (±18.9)	8.2 (±9.4)
Male	50.9 (±15.0)	69.4 (±17.4)	40.3 (±20.5)	14.1 (±11.7)
Grade				
Sixth	47.6 (±25.3)	70.9 (±24.1)	31.3 (±22.9)	20.5 (±17.8)
Seventh	66.4 (±30.3)	66.6 (±23.7)	66.7 (±22.2)	28.8 (±22.8)
Eighth	61.5 (±13.9)	73.4 (±14.7)	38.1 (±16.3)	3.2 (±6.0)
Race/ethnicity				
White	53.3 (±13.5)	62.0 (±16.2)	47.2 (±17.9)	10.6 (±9.6)
Black	89.9 (±14.9)	85.1 (±20.3)	28.1 (±16.2)	18.7 (±16.3)
Hispanic	68.9 (±51.4)	100.0 (±0.0)	59.1 (±48.5)	0.0 (±0.0)
Other	40.0 (±56.6)	66.1 (±31.2)	34.9 (±67.9)	0.0 (±0.0)
Total	60.3 (±11.8)	71.5 (±14.5)	42.4 (±14.1)	11.6 (±7.6)

[†] Ninety-five percent confidence interval.

TABLE MS-13. Percentage of middle school never and current smoking students who report smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007— Eastern (Coastal) "Think young people who smoke cigarettes have more friends"

	Never Smoker	Current Smoker
Gender		
Female	16.8 (±3.4)†	59.8 (±18.1)
Male	14.4 (±4.8)	36.8 (±11.6)
Grade		
Sixth	12.7 (±5.0)	25.9 (±17.8)
Seventh	16.5 (±5.3)	50.7 (±21.1)
Eighth	18.3 (±7.1)	51.3 (±15.2)
Race/ethnicity		
White	8.7 (±3.1)	42.3 (±20.6)
Black	24.2 (±4.0)	43.3 (±23.5)
Hispanic	23.2 (±12.0)	59.6 (±40.2)
Other	23.5 (±15.9)	64.0 (±34.5)
Total	15.5 (±3.1)	45.8 (±10.9)

[†] Ninety-five percent confidence interval.

TABLE MS-14. Percentage of middle school never and current smoking students who report smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007—Eastern (Coastal). "Think it is safe to smoke a year or two, as long as you quit after that"

	Never Smoker	Current Smoker
Gender		
Female	3.1 (±1.7)†	29.9 (±25.9)
Male	4.1 (±1.9)	29.6 (±19.7)
Grade		
Sixth	3.7 (±1.4)	28.2 (±25.2)
Seventh	3.5 (±2.8)	33.6 (±27.2)
Eighth	3.6 (±3.8)	29.0 (±18.9)
Race/ethnicity		
White	2.9 (±1.3)	34.5 (±16.8)
Black	4.6 (±2.4)	19.9 (±27.7)
Hispanic	4.6 (±7.0)	17.1 (±31.4)
Other	2.6 (±4.8)	60.0 (±56.6)
Total	3.6 (±1.2)	29.7 (±16.8)

[†] Ninety-five percent confidence interval.

TABLE HS-1. Percentage of high school students who report ever using* any tobacco product (cigarettes, cigars, smokeless tobacco) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007— Eastern (Coastal)

	Any tobacco	Cigarettes	Cigars	Smokeless tobacco
Gender				
Female	58.1 (±5.3)†	54.7 (±5.3)	27.9 (±3.9)	11.5 (±3.4)
Male	60.4 (±5.5)	54.4 (±6.4)	39.4 (±4.8)	26.1 (±4.2)
Grade				
Ninth	53.1 (±5.4)	48.3 (±4.8)	29.8 (±4.4)	15.2 (±4.4)
Tenth	57.3 (±6.8)	52.2 (±6.5)	32.2 (±6.0)	18.8 (±4.1)
Eleventh	62.2 (±8.6)	57.2 (±8.5)	33.7 (±6.3)	19.6 (±5.5)
Twelfth	67.0 (±5.4)	63.4 (±6.7)	39.7 (±7.7)	22.4 (±7.9)
Race/ethnicity				
White	58.5 (±4.9)	52.8 (±4.6)	35.5 (±4.8)	25.1 (±3.8)
Black	60.8 (±5.2)	57.1 (±3.9)	31.6 (±5.6)	10.9 (±2.6)
Hispanic	63.3 (±10.4)	60.7 (±12.0)	33.1 (±7.8)	11.5 (±4.1)
Other	53.3 (±9.8)	51.3 (±9.1)	22.7 (±8.1)	14.7 (±9.9)
Total	59.4 (±3.5)	54.7 (±3.3)	33.5 (±3.1)	18.8 (±2.4)

^{*}Ever use of cigarettes was determined by asking, "Have you ever tried cigarette smoking, even one or two puffs?" Ever use of cigars was determined by asking, "Have you ever tried smoking cigars, cigarillos, or little cigars, even one or two puffs?" Ever use of smokeless tobacco was determined by asking, "Have you ever used chewing tobacco, snuff, or dip, such as Redman, Levi Garett, Beechnut, Skoal, Skoal Bandits, or Coppenhagen?" Ever use of bidis was determined by asking, "Have you ever tried smoking bidis, even one of two puffs?" † Ninety-five percent confidence interval.

TABLE HS-2. Percentage of high school students who report current use of any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, or bidis) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007 Eastern (Coastal).

	Any	Cigarettes	Cigars	Smokeless	Pipes	Bidis
	tobacco*	J	tobacco			
Gender						
Female	26.6 (±4.3)†	22.6 (±4.7)	9.4 (±2.0)	3.3 (±1.4)	1.8 (±1.2)	2.9 (±1.1)
Male	33.0 (±5.5)	22.5 (±4.6)	18.3 (±4.3)	13.7 (±3.3)	6.4 (±1.9)	7.2 (±2.6)
Grade						
Ninth	25.3 (±5.2)	19.5 (±4.0)	12.9 (±3.5)	6.7 (±3.8)	4.3 (±3.2)	4.0 (±3.5)
Tenth	27.0 (±5.2)	18.5 (±3.5)	13.0 (±5.2)	8.9 (±3.0)	3.9 (±2.3)	5.1 (±3.7)
Eleventh	32.6 (±6.9)	24.1 (±4.9)	14.2 (±4.7)	8.9 (±4.2)	3.2 (±2.1)	3.0 (±1.3)
Twelfth	36.5 (±8.3)	30.3 (±8.2)	15.0 (±5.6)	9.5 (±5.3)	5.0 (±2.9)	7.8 (±2.9)
Race/ethnicity						
White	34.8 (±4.3)	27.7 (±3.5)	13.9 (±3.3)	11.5 (±2.7)	3.6 (±1.4)	4.0 (±1.5)
Black	24.5 (±4.2)	16.7 (±3.4)	14.3 (±2.8)	5.4 (±2.1)	5.1 (±2.5)	6.9 (±3.1)
Hispanic	21.5 (±6.0)	16.3 (±7.8)	11.6 (±5.8)	3.4 (±3.6)	3.4 (±5.1)	1.8 (±2.4)
Other	28.0 (±8.6)	16.8 (±8.6)	13.2 (±7.4)	5.5 (±6.6)	7.1 (±6.1)	7.2 (±7.1)
Total	30.0 (±3.3)	22.7 (±2.9)	14.0 (±2.4)	8.6 (±1.4)	4.3 (±1.3)	5.2 (±1.7)

^{*}Current use of cigarettes or cigars or smokeless tobacco or pipes or bidis or kreteks on 1 of the 30 days preceding the survey.

[†] Ninety-five percent confidence interval.

TABLE HS-3. Percentage of high school students who report first using* cigarettes before 11 years of age and ever smoking 100 cigarettes in their lifetime, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2007— Eastern (Coastal)

	Ever smokers who smoked first whole cigarette before age 11	Ever smokers who smoked 100+ cigarettes in their lifetime
Gender		
Female	12.2 (±2.7)†	21.0 (±6.3)
Male	15.6 (±5.9)	32.0 (±5.0)
Grade		
Ninth	16.4 (±6.1)	20.0 (±5.3)
Tenth	13.5 (±3.8)	19.4 (±5.5)
Eleventh	11.9 (±6.2)	30.8 (±6.4)
Twelfth	13.0 (±7.9)	36.2 (±6.2)
Race/ethnicity		
White	16.9 (±5.0)	39.7 (±3.8)
Black	9.7 (±4.4)	10.2 (±5.5)
Hispanic	7.2 (±4.0)	16.0 (±9.8)
Other	34.5 (±17.4)	17.8 (±16.4)
Total	14.0 (±3.6)	26.4 (±3.8)

^{*}Age of initiation was determined by asking students these questions: "How old were you when you smoked a whole cigarette for the first time?"

TABLE HS-4. Percentage of high school students who report smoking cigarettes on school property during the 30 days preceding the survey, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2007— Eastern (Coastal)

	Smoked on school property past 30 days
Gender	
Female	9.3 (±3.5)†
Male	10.2 (±1.9)
Grade	
Ninth	7.5 (±1.9)
Tenth	7.8 (±2.8)
Eleventh	10.6 (±4.5)
Twelfth	15.7 (±9.3)
Race/ethnicity	
White	11.9 (±3.1)
Black	7.1 (±2.2)
Hispanic	6.0 (±4.4)
Other	7.4 (±8.8)
Total	9.8 (±2.0)

[†] Ninety-five percent confidence interval.

[†] Ninety-five percent confidence interval.

TABLE HS-5. Percentage of high school students who report frequently using* cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2007— Eastern (Coastal).

	Frequent cigarette smoking
Gender	
Female	8.9 (±3.7)†
Male	10.0 (±2.1)
Grade	
Ninth	4.9 (±2.6)
Tenth	6.4 (±2.5)
Eleventh	10.1 (±4.1)
Twelfth	18.5 (±7.8)
Race/ethnicity	
White	13.1 (±3.3)
Black	4.9 (±3.0)
Hispanic	6.1 (±5.2)
Other	7.1 (±7.0)
Total	9.5 (±2.3)

^{*} Smoked cigarettes, on 20 of the 30 days preceding the survey

TABLE HS-6. Percentage of high school current smoking students who report their primary sources of cigarettes, by social source, direct purchase, and other sources: North Carolina Youth Tobacco Survey, 2007— Eastern (Coastal).

	Current Smoker
Social Sources:	
Gave someone else money to buy them for me	29.8 (±5.9)†
Borrowed (or bummed) them from someone else	22.4 (±5.8)
Person 18 years or older gave them to me	11.6 (±3.7)
Direct Purchase:	
Bought them in a store such as a convenience store, supermarket, discount store, or gas station	15.8 (±6.2)
Bought them from a vending machine	2.5 (±1.4)
Other Sources:	
Took them from store or family member	6.1 (±2.5)
Got them some other way	11.8 (±4.6)
Total	100

[†] Ninety-five percent confidence interval.

[†] Ninety-five percent confidence interval.

TABLE HS-7. Percentage of high school students who report smoking intentions and perceptions about smoking to initiate smoking, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007— Eastern (Coastal)

	Never smoked who will not try a cigarette soon	Never smoked who will definitely not smoke cigarettes during the next year	Never smoked who think they will not smoke if one of their best friends offers them a cigarette	Have been told by at least one parent (or guardian) about the dangers of tobacco use	Think people can get addicted to using tobacco just like getting addicted to cocaine or heroin	Think young people who smoke cigarettes have more friends	Think smoking cigarettes makes young people look cool or fit in	Never smokers who are susceptible to start smoking
Gender								
Female	96.0 (±2.1)†	80.2 (±6.1)	80.6 (±5.9)	68.4 (±2.9)	92.1 (±3.1)	23.0 (±3.3)	12.0 (±2.6)	26.4 (±7.6)
Male	96.7 (±2.7)	82.0 (±4.9)	83.1 (±4.7)	64.4 (±6.6)	83.7 (±2.9)	31.2 (±4.9)	19.2 (±4.0)	22.4 (±4.5)
Grade								
Ninth	94.4 (±3.1)	80.7 (±6.7)	79.7 (±6.9)	65.9 (±5.4)	89.3 (±3.4)	30.6 (±8.0)	17.7 (±4.9)	26.6 (±7.8)
Tenth	95.1 (±3.8)	73.3 (±9.8)	77.0 (±7.8)	64.1 (±5.6)	87.4 (±3.6)	27.2 (±7.1)	13.7 (±5.4)	32.6 (±10.0)
Eleventh	98.2 (±2.6)	83.9 (±8.6)	82.3 (±7.9)	70.6 (±7.1)	86.3 (±6.9)	21.8 (±5.3)	11.7 (±2.2)	21.2 (±10.0)
Twelfth	100.0 (±0.0)	91.3 (±6.1)	93.8 (±4.7)	65.1 (±8.0)	88.0 (±4.8)	26.5 (±6.1)	17.8 (±4.3)	10.4 (±5.4)
Race/ethnicity								
White	97.2 (±1.7)	80.8 (±4.8)	80.5 (±4.8)	67.5 (±4.3)	90.3 (±3.4)	21.9 (±3.4)	13.9 (±2.5)	23.8 (±5.5)
Black	94.3 (±3.7)	83.6 (±6.2)	84.5 (±5.7)	64.5 (±4.9)	86.4 (±3.3)	34.5 (±5.0)	18.1 (±4.4)	23.9 (±6.7)
Hispanic	100.0 (±0.0)	69.9 (±12.6)	75.6 (±11.9)	68.7 (±14.7)	81.1 (±9.4)	32.9 (±12.9)	17.1 (±9.0)	33.7 (±13.4)
Other	100.0 (±0.0)	70.2 (±19.3)	82.7 (±15.4)	67.5 (±13.8)	76.1 (±15.0)	21.4 (±11.6)	13.9 (±12.3)	29.8 (±19.3)
Total	96.3 (±1.9)	81.1 (±4.5)	81.8 (±3.8)	66.5 (±3.3)	87.9 (±1.8)	27.2 (±3.3)	15.7 (±2.4)	24.4 (±4.6)

^{*} Students were considered not susceptible if they answered, "No, will not try a cigarette soon" and "Definitely no, will not smoke in the next year" and "Definitely no, would not smoke if best friend offered." All other students were considered susceptible.

[†] Ninety-five percent confidence interval.

TABLE HS-8. Percentage of high school students who report media and advertising influence Regarding tobacco and receptivity to tobacco advertising*, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007— Eastern (Coastal)

	Saw or heard anti-smoking commercials during the past 30 days	Watch TV or movies who see actors using tobacco (most or some of the time)	Use Internet and see Internet ads for tobacco products (most or some of the time)	Use Internet, watch TV, or go to movies who see (most or some of the time) ads for tobacco products	Receptive to tobacco advertising
Gender					
Female	81.7 (±4.3)†	91.7 (±2.1)	50.0 (±5.7)	93.4 (±1.6)	10.8 (±3.2)
Male	74.6 (±3.8)	84.8 (±3.4)	43.1 (±5.6)	88.9 (±3.4)	15.4 (±3.6)
Grade					
Ninth	75.3 (±6.6)	85.7 (±3.3)	41.3 (±6.2)	90.4 (±3.4)	12.0 (±4.3)
Tenth	77.5 (±4.9)	87.5 (±3.6)	46.1 (±7.3)	88.8 (±3.6)	12.2 (±4.1)
Eleventh	80.6 (±5.8)	89.9 (±3.4)	51.2 (±9.7)	92.4 (±2.4)	11.0 (±3.1)
Twelfth	80.0 (±4.8)	91.8 (±3.3)	49.6 (±5.3)	93.9 (±3.9)	17.9 (±5.9)
Race/ethnicity					
White	79.9 (±3.6)	90.0 (±3.5)	44.8 (±5.9)	92.5 (±3.2)	16.0 (±3.8)
Black	75.6 (±2.8)	85.6 (±2.6)	48.9 (±5.1)	89.1 (±2.7)	10.2 (±2.6)
Hispanic	80.3 (±9.6)	88.2 (±7.0)	40.5 (±11.0)	90.6 (±7.0)	7.7 (±9.6)
Other	78.2 (±14.1)	91.0 (±6.3)	55.4 (±14.4)	94.4 (±6.7)	8.2 (±6.7)
Total	78.2 (±2.7)	88.3 (±2.3)	46.6 (±4.7)	91.2 (±2.1)	13.2 (±2.5)

The percentage of students who received anything with a tobacco company name or picture on it AND who would (Definitely Yes or Probably Yes) use or wear something with a tobacco company name or picture on it. † Ninety-five percent confidence interval.

TABLE HS-9. Percentage of high school students who report exposure to anti-tobacco education in school or community in the past year, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007— Eastern (Coastal)

	Were taught about the dangers of tobacco use at school	At school this year practiced ways to say 'No' to tobacco
Gender		
Female	36.3 (±3.5)†	17.4 (±3.8)
Male	32.3 (±6.4)	16.2 (±4.1)
Grade		
Ninth	40.3 (±8.4)	19.5 (±7.0)
Tenth	32.4 (±8.0)	16.9 (±4.6)
Eleventh	28.5 (±6.2)	12.7 (±5.0)
Twelfth	34.2 (±6.7)	17.1 (±5.6)
Race/ethnicity		
White	29.5 (±6.1)	11.4 (±2.8)
Black	40.1 (±4.7)	23.7 (±4.9)
Hispanic	42.3 (±10.6)	17.9 (±8.8)
Other	38.2 (±11.2)	22.1 (±8.2)
Total	34.3 (±4.3)	16.7 (±3.2)

[†] Ninety-five percent confidence interval.

TABLE HS-10. Percentage of high school never smoking students who report they were in the same room or rode in car with someone who was smoking on 1 of the past 7 days, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2007—Eastern (Coastal).

	Were in the same room with someone who was smoking a cigarette on 1+ days during past 7 days	Rode in the same car with someone who was smoking a cigarette on 1+ days during past 7 days
Gender		
Female	53.7 (±7.4)†	40.5 (±7.4)
Male	49.8 (±5.8)	34.9 (±7.8)
Grade		
Ninth	51.9 (±7.7)	40.8 (±9.1)
Tenth	54.5 (±8.7)	40.3 (±8.9)
Eleventh	47.6 (±5.7)	32.0 (±8.8)
Twelfth	52.4 (±15.3)	34.3 (±11.9)
Race/ethnicity		
White	55.2 (±6.5)	41.9 (±8.9)
Black	46.8 (±4.9)	32.8 (±5.8)
Hispanic	41.2 (±15.0)	31.7 (±18.0)
Other	57.0 (±22.5)	29.4 (±23.3)
Total	51.7 (±5.0)	37.7 (±6.1)

[†] Ninety-five percent confidence interval.

TABLE HS-11. Percentage of high school never and current smoking students who report living with someone who currently smokes cigarettes, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007—Eastern (Coastal)

	Never Smoker	Current Smoker
Gender		
Female	36.9 (±7.3)†	61.0 (±6.7)
Male	38.7 (±7.1)	64.0 (±8.8)
Grade		
Ninth	44.0 (±7.0)	59.9 (±12.3)
Tenth	39.6 (±9.1)	65.6 (±11.1)
Eleventh	28.8 (±8.6)	58.4 (±11.7)
Twelfth	33.2 (±16.4)	66.0 (±9.0)
Race/ethnicity		
White	40.6 (±7.0)	61.3 (±5.8)
Black	34.5 (±5.6)	63.2 (±11.9)
Hispanic	30.6 (±20.9)	83.6 (±21.5)
Other	37.5 (±28.0)	74.6 (±40.9)
Total	37.8 (±6.1)	62.8 (±5.0)

[†] Ninety-five percent confidence interval.

TABLE HS-12. Percentage of high school current smoking students who report quitting perceptions, intention to quit and cessation practices, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007— Eastern (Coastal)

	Who want to stop smoking cigarettes	Tried to quit during at least once in the past 12 months-	When they last tried to quit, stayed off cigarettes for less than 30 days	Have ever participated in a program to help quit using tobacco
Gender				
Female	53.0 (±11.0)†	66.5 (±9.5)	47.4 (±7.9)	8.9 (±4.7)
Male	42.3 (±10.6)	48.3 (±7.7)	36.1 (±9.0)	12.4 (±6.2)
Grade				
Ninth	57.7 (±9.7)	67.2 (±9.8)	45.2 (±9.0)	11.0 (±8.5)
Tenth	44.2 (±19.7)	61.6 (±11.9)	37.8 (±11.2)	12.9 (±9.7)
Eleventh	42.6 (±9.7)	51.7 (±12.3)	43.3 (±11.2)	14.1 (±8.7)
Twelfth	47.0 (±15.1)	51.0 (±7.1)	42.0 (±10.3)	6.0 (±5.2)
Race/ethnicity				
White	41.9 (±8.7)	55.1 (±6.7)	42.7 (±6.9)	8.1 (±4.4)
Black	65.9 (±12.7)	64.3 (±9.4)	43.6 (±12.8)	15.4 (±8.6)
Hispanic	43.1 (±45.4)	61.7 (±37.0)	38.6 (±26.8)	30.7 (±35.2)
Other	58.0 (±38.8)	42.9 (±29.3)	18.6 (±24.2)	38.0 (±34.7)
Total	47.7 (±6.8)	57.4 (±5.4)	42.1 (±5.4)	11.2 (±4.3)

[†] Ninety-five percent confidence interval.

TABLE HS-13. Percentage of high school never and current smoking students who report smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007—Eastern (Coastal)

"Think young people who smoke cigarettes have more friends"

	Never Smoker	Current Smoker
Gender		
Female	20.6 (±5.0)†	28.4 (±8.7)
Male	20.9 (±5.0)	52.3 (±10.5)
Grade		
Ninth	23.8 (±8.7)	47.0 (±15.9)
Tenth	22.7 (±6.5)	37.6 (±14.9)
Eleventh	17.8 (±6.9)	34.2 (±12.2)
Twelfth	14.9 (±6.6)	37.8 (±13.5)
Race/ethnicity		
White	14.0 (±4.2)	35.3 (±5.7)
Black	31.2 (±5.8)	51.5 (±11.2)
Hispanic	27.0 (±20.4)	55.8 (±30.5)
Other	18.2 (±13.9)	44.1 (±29.6)
Total	20.8 (±3.9)	40.6 (±5.2)

[†] Ninety-five percent confidence interval.

TABLE HS-14. Percentage of high school never and current smoking students who report smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2007— Eastern (Coastal)

"Think it is safe to smoke a year or two, as long as you quit after that"

	Never Smoker	Current Smoker
Gender		
Female	5.2 (±5.3)†	20.5 (±7.4)
Male	5.3 (±2.5)	35.1 (±9.3)
Grade		
Ninth	5.7 (±2.9)	44.7 (±13.1)
Tenth	3.4 (±3.1)	21.9 (±9.7)
Eleventh	9.6 (±13.6)	16.7 (±11.1)
Twelfth	1.9 (±2.6)	20.5 (±14.4)
Race/ethnicity		
White	5.2 (±5.4)	24.8 (±9.1)
Black	5.0 (±2.9)	31.0 (±13.2)
Hispanic	1.8 (±3.4)	57.7 (±30.7)
Other	15.5 (±19.5)	34.1 (±21.5)
Total	5.3 (±3.6)	27.9 (±7.6)

[†] Ninety-five percent confidence interval.