

Eastern/Coastal Region (I)

www.tobaccopreventionandcontrol.ncdhhs.gov

The North Carolina Youth Tobacco Survey (YTS) includes data on the prevalence of the use of cigarette and other tobacco products, as well as information on secondhand smoke (SHS), cessation, pro-health media, tobacco advertising, school tobacco prevention education, community participation, and access and availability of tobacco products. These are all critical areas of focus for a comprehensive tobacco control program in North Carolina.

The North Carolina YTS was a public school-based survey of students in grades 6-12, conducted in 1999¹, 2001, 2003, 2005 and 2007². A multi-stage cluster sample design was used to produce representative data of middle and high school students for all of North Carolina. Schools were selected with the probability proportional to enrollment size. Classes were randomly selected and all students in selected classes were eligible to participate. The 2007 YTS school district response rate was 100%, the middle school student response rate for the Coastal Region was 85.9% and the overall response rate was 85.9%. A total of 1,156 middle school students from the Coastal Region participated in and completed the North Carolina YTS in 2007.

Prevalence

30.2% of students had ever used any tobacco (White = 25.9%, Black = 33.7%, Hispanic = 33.1%)² 25.0% of students had ever smoked cigarettes (Male = 28.3%, Female = 21.6%)

11.9% currently use any tobacco product (White = 10.4%, Black = 14.1%, Hispanic = 11.8%) 6.0% currently smoke cigarettes (Male = 7.2%, Female = 4.9%)

3.3% currently use smokeless tobacco (Male = 3.9%, Female = 2.6%)

Secondhand Smoke (SHS)

43.5% live in homes where others smoke

51.8% are in the same room as others who smoke during the week

88.2% think smoke from others is harmful to them

Cessation – Current Smokers

60.3% want to quit smoking

71.5% attempted to stop smoking in the past year

Pro-health Media vs Tobacco Advertising

72.7% saw or heard anti-smoking media messages in the past month 12.6% have an object with a tobacco brand logo

School

35.5% were taught the dangers of tobacco

1.7% smoked on school property in the past month

23.9% said their school has a program to help students quit

Access and Availability- Current Smokers < 18 years old

3.2% buy cigarettes in stores

52.5% got their cigarettes via social sources (friends, family and others)

Middle School Highlights

3 in 10 students have used tobacco; 12% currently use some form of tobacco; 6% currently smoke cigarettes; 3% currently use smokeless tobacco (spit, chew or dip).

SHS exposure is high – more than 5 in 10 students were in the same room with smokers during the week.

Nearly 9 in 10 students think smoke from others is harmful to them.

6 in 10 current smokers want to quit smoking.

More than 7 in 10 students saw or heard anti-smoking media messages in the past month.

Nearly two-thirds were NOT taught the dangers of tobacco in the past year.

An overwhelming majority of students (9 of every 10) say they have NOT smoked on school property.

About 1 in 25 students said their school had programs to help students quit.

² Detailed 2007 YTS tables including 95% confidence intervals are available upon request.



For additional information, please contact:

North Carolina Tobacco Prevention and Control Branch | 919-707-5400

www.tobaccoprevention and control.ncd hhs.gov



^{*} Includes: Beaufort, Bertie, Bladen, Brunswick, Camden, Carteret, Chowan, Columbus, Craven, Currituck, Dare, Duplin, Edgecombe, Gates, Greene, Halifax, Hertford, Hyde, Johnston, Jones, Lenoir, Martin, Nash, New Hanover, Northampton, Onslow, Pamlico, Pasquotank, Pender, Perquimans, Pitt, Sampson, Tyrrell, Warren, Washington, Wayne, and Wilson counties.

1999, 2001, 2003, 2005 YTS results at www.tobaccopreventionandcontrol.ncdhhs.gov/data/yts.htm