SURVEILLANCE UPDATE




North Carolina Tobacco Prevention and Control Branch -- March 2010




2009 N.C Youth Tobacco Survey: Students with Asthma

Percentage of N.C. middle and high school students who have had an episode of asthma or an asthma attack in the last year, by gender: N.C. YTS,





Percentage of N.C. middle and high school students who have had an episode of asthma or an asthma attack in the last year, by gender: N.C. YTS, 2009

Percentage of N.C. middle and high school students who have had an episode of asthma or an asthma attack in the last year, by grade: N.C. YTS, 2009



Percentage of N.C. middle and high school students who report never smoking, by gender: N.C. YTS, 2009





Weighted to provide estimates representative of the public middle and high school student population; Students reporting having an asthma attack or episode in the past 12 months. Specific data on 95% confidence intervals at the N.C. YTS website.

*Use caution when interpreting. Results based on small sample size.

The N.C. Youth Tobacco Survey (N.C. YTS) provides a critical source of public health data for understanding the scope of the tobacco problem and measuring progress toward overall goals among youth. N.C. 2009 YTS is a comprehensive statewide representative sample of more than 7,100 middle and high school students. Every other year a core set of CDC tobacco-related questions are asked. In addition, states add questions related to local program factors. In 2009, TPCB together with the Health and Wellness Trust Fund added questions regarding media, community participation and secondhand smoking attitudes. The sampling scheme is now intended to generate significant numbers for regional data (West, Central and East). Caution should be used in interpreting results when only a small number of respondents have answered the question. See the N.C. Tobacco Prevention and Control Branch website for more information.





